Patient Name:

Location:

Your procedure is scheduled for: at with Doctor:

Gateway Hospital GI Specialty Center—MOB 6 Midtown Hospital Henderson Hospital 4011 Gateway Blvd 4219 Gateway Blvd 600 Mary St. 1305 N. Elm St. Newburgh, IN 47630 Evansville, IN 47710 Henderson, KY 42420 Enter through emergency department

Please check in at the information desk on the first floor, **TWO HOURS** Arrival Time:

prior to your appointment time unless otherwise directed.

INSTRUCTIONS FOR PREPARING FOR YOUR PROCEDURE

If you cannot keep your appointment, please allow a three-day notice for cancellation. To cancel or reschedule your appointment, please call the scheduler at 812-426-9545.

You may receive general anesthesia for this procedure, which can require labs/EKG prior to your procedure. Please call the office as soon as possible at 812-426-9545 to see if any testing is needed.

If you take **blood thinning and/or weight loss medications**, please notify your GI physician as soon as possible at 812-426-9545 for instructions on when/if to stop them. See examples below:

Aggrenox
Eliquis

Brilinta • Invokana

• Coumadin • Jardiance

• Effient • Ozempic

Phentermine

Plavix

Pletal
Dradeva

oic • Pradaxa

Ticlid

Wegovy

Xarelto

And more

1 DAY before your procedure

- 1. Eat a light meal in the evening before your procedure. Stop all food at midnight.
- 2. **Stop** taking Metformin (Glucophage) the day before your procedure.
- 3. **Stop** taking all ACE/ARB medications (Enalapril, Fosinopril, Lisinopril, Perindopril, Irbesartan, Losartan, Olmesartan, telmisartan, Vasotec, Monopril, Prinivil, Zestril, Aceon, Avapro, Cozaar, Benicar, Micardis, etc).

DAY OF your procedure

- 1. **Stop** all water/clear liquids at , **FOUR hours** prior to your procedure time.
- 2. **Stop** all candy, mints, chewing tobacco, smoking of all kinds and chewing gum four hours prior to procedure.
- 3. **Stop** all diabetic medications (Glyburide, Glipizide, Metformin, Glimepiride, Chlorpropamide, etc.) and diuretics (Lasix, Furosemide, Bumex, Hydrochlorothiazide, etc.) unless otherwise directed by your doctor, but bring them with you to the procedure.
- 4. Please take heart, lung, blood pressure and seizure medication with a small sip of water the morning of your procedure. You can take your blood pressure medicine if it is **NOT an ACE/ARB** as listed above.
- 5. Bring your total list of medicines with you to the procedure.
- 6. Bring a responsible adult to receive instructions and provide transportation who will remain at the facility throughout your stay (2-3hrs) You will not be permitted to drive or take public transportation alone (cab, bus, etc) following your exam.
- 7. Wear something comfortable the day of the exam and keep valuables at home.

IMPORTANT: Please follow all instructions listed on this sheet for your safety. Your procedure could be canceled and rescheduled.

- 1. Do not drink clear liquids *FOUR hours* prior to the procedure. A sip of water with important medicines is okay.
- 2. Stop certain medications prior to procedure (Phentermine for two weeks, blood thinners according to GI MD)
- 3. If you are taking Wegovy, Ozempic, Jardiance or Invokana, please notify our office for further instructions.
- 4. You must have a responsible adult to receive instructions and provide your transportation the day of your procedure. Taking any public transportation alone (cab, bus, etc) without a responsible adult is not acceptable. This adult must stay with you for the duration of the time you are at the facility (2-3 hrs).
- 5. Follow instructions given by your gastroenterologist or on this instruction sheet ONLY.